

Nutraceuticals World Cognitive Function References, May 2010

1. Kidd PM. Neurodegeneration from mitochondrial insufficiency: nutrients, stem cells, growth factors, and prospects for brain rebuilding using integrative management. *Altern Med Rev*. 2005 Dec;10(4):268-93.
2. Fukumoto H, Tokuda T, Kasai T, Ishigami N, Hidaka H, Kondo M, Allsop D, Nakagawa M. High-molecular-weight {beta}-amyloid oligomers are elevated in cerebrospinal fluid of Alzheimer patients. *FASEB J*. 2010 Mar 25.
3. Féart C, Samieri C, Rondeau V, Amieva H, Portet F, Dartigues JF, Scarmeas N, Barberger-Gateau P. Adherence to a Mediterranean diet, cognitive decline, and risk of dementia. *JAMA*. 2009 Aug 12;302(6):638-48.
4. Scarmeas N, Stern Y, Mayeux R, Manly JJ, Schupf N, Luchsinger JA. Mediterranean diet and mild cognitive impairment. *Arch Neurol*. 2009 Feb;66(2):216-25.
5. Hughes TF, Andel R, Small BJ, Borenstein AR, Mortimer JA, Wolk A, Johansson B, Fratiglioni L, Pedersen NL, Gatz M. Midlife Fruit and Vegetable Consumption and Risk of Dementia in Later Life in Swedish Twins. *Am J Geriatr Psychiatry*. 2009 Nov 10.
6. Ihara Y, Hayabara T, Sasaki K, Fujisawa Y, Kawada R, Yamamoto T, Nakashima Y, Yoshimune S, Kawai M, Kibata M, Kuroda S. Free radicals and superoxide dismutase in blood of patients with Alzheimer's disease and vascular dementia. *J Neurol Sci*. 1997 Dec 9;153(1):76-81.
7. Ryan J, Croft K, Mori T, Wesnes K, Spong J, Downey L, Kure C, Lloyd J, Stough C. An examination of the effects of the antioxidant Pycnogenol on cognitive performance, serum lipid profile, endocrinological and oxidative stress biomarkers in an elderly population. *J Psychopharmacol*. 2008 Jul;22(5):553-62.
8. Rinaldi P, Polidori MC, Metastasio A, Mariani E, Mattioli P, Cherubini A, Catani M, Cecchetti R, Senin U, Mecocci P. Plasma antioxidants are similarly depleted in mild cognitive impairment and in Alzheimer's disease. *Neurobiol Aging*. 2003 Nov;24(7):915-9.
9. Maxwell CJ, Hicks MS, Hogan DB, Basran J, Ebly EM. Supplemental use of antioxidant vitamins and subsequent risk of cognitive decline and dementia. *Dement Geriatr Cogn Disord*. 2005;20(1):45-51.
10. Morris MC, Evans DA, Tangney CC, Bienias JL, Wilson RS, Aggarwal NT, Scherr PA. Relation of the tocopherol forms to incident Alzheimer disease and to cognitive change. *Am J Clin Nutr*. 2005 Feb;81(2):508-14.
11. Morris MC, Evans DA, Bienias JL, Scherr PA, Tangney CC, Hebert LE, Bennett DA, Wilson RS, Aggarwal N. Dietary niacin and the risk of incident Alzheimer's disease and of cognitive decline. *J Neurol Neurosurg Psychiatry*. 2004 Aug;75(8):1093-9.
12. Snitz BE, O'Meara ES, Carlson MC, Arnold AM, Ives DG, Rapp SR, Saxton J, Lopez OL, Dunn LO, Sink KM, DeKosky ST; Ginkgo Evaluation of Memory (GEM) Study Investigators. *Ginkgo biloba* for preventing cognitive decline in older adults: a randomized trial. *JAMA*. 2009 Dec 23;302(24):2663-70.
13. Birks J, Grimley Evans J. *Ginkgo biloba* for cognitive impairment and dementia. *Cochrane Database Syst Rev*. 2009 Jan 21;(1):CD003120.
14. Bäurle P, Suter A, Wormstall H. Safety and effectiveness of a traditional ginkgo fresh plant extract - results from a clinical trial. *Forsch Komplementmed*. 2009 Jun;16(3):156-61.

15. Bönöczk P, Gulyás B, Adam-Vizi V, Nemes A, Kárpáti E, Kiss B, Kapás M, Szántay C, Koncz I, Zelles T, Vas A. Role of sodium channel inhibition in neuroprotection: effect of vinpocetine. *Brain Res Bull.* 2000 Oct;53(3):245-54.
16. Akhondzadeh S, Noroozian M, Mohammadi M, Ohadinia S, Jamshidi AH, Khani M. *Salvia officinalis* extract in the treatment of patients with mild to moderate Alzheimer's disease: a double blind, randomized and placebo-controlled trial. *J Clin Pharm Ther.* 2003 Feb;28(1):53-9.
17. Frackowiak T, Baczek T, Roman K, Zbikowska B, Gleńsk M, Fecka I, Cisowski W. Binding of an oxindole alkaloid from *Uncaria tomentosa* to amyloid protein (A β 1-40). *Z Naturforsch C.* 2006 Nov-Dec;61(11-12):821-6.
18. Mohamed AF, Matsumoto K, Tabata K, Takayama H, Kitajima M, Watanabe H. Effects of *Uncaria tomentosa* total alkaloid and its components on experimental amnesia in mice: elucidation using the passive avoidance test. *J Pharm Pharmacol.* 2000 Dec;52(12):1553-61.
19. Scholey et al., American ginseng improves human neurocognitive function: a randomized, double-blind, placebo-controlled, crossover study. In preparation. 2010.
20. Calabrese C, Gregory WL, Leo M, Kraemer D, Bone K, Oken B. Effects of a standardized *Bacopa monnieri* extract on cognitive performance, anxiety, and depression in the elderly: a randomized, double-blind, placebo-controlled trial. *J Altern Complement Med.* 2008 Jul;14(6):707-13.
21. Roodenrys S, Booth D, Bulzomi S, Phipps A, Micallef C, Smoker J. Chronic effects of Brahmi (*Bacopa monnieri*) on human memory. *Neuropsychopharmacology.* 2002 Aug;27(2):279-81.
22. Shin KY, Lee JY, Won BY, Jung HY, Chang KA, Koppula S, Suh YH. BT-11 is effective for enhancing cognitive functions in the elderly humans. *Neurosci Lett.* 2009 Nov 13;465(2):157-9. Epub 2009 Aug 20.
23. Zhang H, Huang J. Preliminary study of traditional Chinese medicine treatment of minimal brain dysfunction: analysis of 100 cases. *Zhong Xi Yi Jie He Za Zhi.* 1990 May;10(5):278-9, 260.
24. Cenacchi T, Bertoldin T, Farina C, Fiori MG, Crepaldi G. Cognitive decline in the elderly: a double-blind, placebo-controlled multicenter study on efficacy of phosphatidylserine administration. *Aging (Milano).* 1993 Apr;5(2):123-33.
25. Crook TH, Tinklenberg J, Yesavage J, Petrie W, Nunzi MG, Massari DC. Effects of phosphatidylserine in age-associated memory impairment. *Neurology* 1991;41:644-649.
26. Barbagallo Sangiorgi G, Barbagallo M, Giordano M, Meli M, Panzarasa R. alpha-Glycerophosphocholine in the mental recovery of cerebral ischemic attacks. An Italian multicenter clinical trial. *Ann N Y Acad Sci.* 1994 Jun 30;717:253-69.
27. Yurko-Mauro K. Cognitive and Cardiovascular Benefits of Docosahexaenoic Acid in Aging and Cognitive Decline. *Curr Alzheimer Res.* 2010 Jan 21.
28. Drover J, Hoffman DR, Castañeda YS, Morale SE, Birch EE. Three Randomized Controlled Trials of Early Long-Chain Polyunsaturated Fatty Acid Supplementation on Means-End Problem Solving in 9-Month-Olds. *Child Dev.* 2009 Sep;80(5):1376-1384.
29. Malaguarnera M, Cammalleri L, Gargante MP, Vacante M, Colonna V, Motta M. L-Carnitine treatment reduces severity of physical and mental fatigue and increases cognitive functions in centenarians: a randomized and controlled clinical trial. *Am J Clin Nutr.* 2007 Dec;86(6):1738-44.

30. Hager K, Kenklies M, McAfoose J, Engel J, Münch G. Alpha-lipoic acid as a new treatment option for Alzheimer's disease—a 48 months follow-up analysis. *J Neural Transm Suppl.* 2007;(72):189-93.
31. Ziegler D, Gries FA. Alpha-lipoic acid in the treatment of diabetic peripheral and cardiac autonomic neuropathy. *Diabetes.* 1997 Sep;46 Suppl 2:S62-6.
32. Liu J. The effects and mechanisms of mitochondrial nutrient alpha-lipoic acid on improving age-associated mitochondrial and cognitive dysfunction: an overview. *Neurochem Res.* 2008 Jan;33(1):194-203.
33. Bragin V, Chemodanova M, Dzhafarova N, Bragin I, Czerniawski JL, Aliev G. Integrated treatment approach improves cognitive function in demented and clinically depressed patients. *Am J Alzheimer's Dis Other Demen.* 2005 Jan-Feb;20(1):21-6.